SAFETY DATA SHEET



1. Identification

| Product identifier | Natural Pozzolan SCM | | |
|--------------------------------|--|---|--|
| Other means of identification | | | |
| Product code | Class N, Type N | | |
| Synonyms | TS100, pumice, calcined shale, calcined bentonite, metakaolin, volcanic ash, tuff | | |
| Recommended use | Construction. | | |
| Recommended restrictions | Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations. Uses other than the recommended use. | | |
| Manufacturer/Importer/Supplier | /Distributor information | | |
| Company name | Amrize Inc. | | |
| Address | 6509 Airport Road | | |
| | Mississauga, Ontario L4V 157 | | |
| Telephone | Eastern Canada: (905) 738-7070 | | |
| | Western Canada: (403) 225-5400 | | |
| Website | www.amrize.com | | |
| E-mail | sdsinfo@amrize.com | | |
| Emergency telephone number | CHEMTREC within USA and Canada: 1-800 | -424-9300 | |
| | CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted) | | |
| 2. Hazard identification | | | |
| Physical hazards | Not classified. | | |
| Health hazards | Skin corrosion/irritation | Category 2 | |
| | Serious eye damage/eye irritation | Category 1 | |
| | Carcinogenicity (inhalation) | Category 1A | |
| | Specific target organ toxicity - repeated exposure (inhalation) | Category 2 (Lungs) | |
| Label elements | | | |
| | | | |
| Signal word | Danger | | |
| Hazard statement | Causes skin irritation. Causes serious eye damage. May cause cancer by inhalation. May cause damage to organs (Lungs) through prolonged or repeated exposure by inhalation. | | |
| Precautionary statement | | | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. | | |
| Response | IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. | | |
| Storage | Store locked up. | | |
| Disposal | Dispose of contents/container in accordance | Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Supplemental information | None. | | |
| Other hazards | None known. | | |

3. Composition/information on ingredients

Mixtures

| Mixtures | | | |
|--|---|----------------------------------|-------------------------|
| Chemical name | Common name and synonyms | CAS number | % |
| Calcium oxide | | 1305-78-8 | 5 - 10 |
| Quartz | | 14808-60-7 | 1 - 5 |
| Composition comments | All concentrations are in percent by weight. Co below reportable limits. Any concentration sho batch variation. | | |
| 4. First-aid measures | | | |
| Inhalation | Move to fresh air. If not breathing, give artifician or persist. | al respiration. Call a physician | if symptoms develop |
| Skin contact | Remove contaminated clothing. Wash with ple medical advice/attention. Wash contaminated | | irritation occurs: Get |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. | | |
| Ingestion | Rinse mouth. Get medical attention if symptor | ms occur. | |
| Most important symptoms/effects, acute and delayed | Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. | | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and trea Symptoms may be delayed. | at symptomatically. Keep victir | n under observation. |
| General information | IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect then | medical personnel are aware o | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carb | on dioxide (CO2). | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as thi | is will spread the fire. | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be oxides. | e formed. Combustion product | s may include: Carbon |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full pr | otective clothing must be worr | n in case of fire. |
| Fire fighting equipment/instructions | Use water spray to cool unopened containers | | |
| Specific methods | Use standard firefighting procedures and cons | sider the hazards of other invo | lved materials. |
| General fire hazards | Will burn if involved in a fire. | | |
| 6. Accidental release meas | sures | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. | | |
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is with water. | | ct recovery, flush area |
| | Small Spills: Clean surface thoroughly to remo | ove residual contamination. | |

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labelled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

| US. ACGIH Threshold Limit Value Components | es (TLV) Type | Value | Form |
|--|--|---|---|
| Calcium oxide (CAS 1305-78-8) | TWA | 2 mg/m3 | |
| Quartz (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| Canada. Alberta OELs (Occupatio Components | onal Health & Safety Code, Sche Type | edule 1, Table 2), as amended Value | Form |
| Calcium oxide (CAS 1305-78-8) | TWA | 2 mg/m3 | |
| Quartz (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable particles. |
| Canada. British Columbia OELs. Safety Regulation 296/97, as ame | ended) | | - |
| Components | Туре | Value | Form |
| Calcium oxide (CAS 1305-78-8) | TWA | 2 mg/m3 | |
| Quartz (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| Canada. Manitoba OELs (Reg. 21 Components | 7/2006, The Workplace Safety A Type | nd Health Act), as amended Value | Form |
| | | 0 | |
| Calcium oxide (CAS 1305-78-8) | TWA | 2 mg/m3 | |
| | TWA | 2 mg/m3 0.025 mg/m3 | Respirable fraction. |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T | TWA hreshold Limit Values (TLVs) Ba | 0.025 mg/m3 | |
| 1305-78-8) Quartz (CAS 14808-60-7) | TWA hreshold Limit Values (TLVs) Ba | 0.025 mg/m3 | |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg | TWA hreshold Limit Values (TLVs) Ba ulation 91-191) | 0.025 mg/m3 ased on the 1991 and 1997 A | CGIH TLVs and BEIs |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type | 0.025 mg/m3 ased on the 1991 and 1997 A0 Value | CGIH TLVs and BEIs |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA TWA | 0.025 mg/m3 ased on the 1991 and 1997 A0 Value 2 mg/m3 0.025 mg/m3 | CGIH TLVs and BEIs |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Control of Components Calcium oxide (CAS | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA | 0.025 mg/m3 ased on the 1991 and 1997 A Value 2 mg/m3 0.025 mg/m3 emical Agents), as amended | CGIH TLVs and BEIs Form Respirable fraction. |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Control of Components | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA TWA of Exposure to Biological or Che Type | 0.025 mg/m3 ased on the 1991 and 1997 Ad Value 2 mg/m3 0.025 mg/m3 emical Agents), as amended Value | CGIH TLVs and BEIs Form Respirable fraction. |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Control of Components Calcium oxide (CAS 1305-78-8) | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA of Exposure to Biological or Che Type TWA TWA TWA | 0.025 mg/m3 ased on the 1991 and 1997 Ad Value 2 mg/m3 0.025 mg/m3 emical Agents), as amended Value 2 mg/m3 0.1 mg/m3 | CGIH TLVs and BEIs Form Respirable fraction. Form Respirable fraction. |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Control of Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Ministry Components Calcium oxide (CAS | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA of Exposure to Biological or Che Type TWA TWA TWA TWA | 0.025 mg/m3 ased on the 1991 and 1997 Ad Value 2 mg/m3 0.025 mg/m3 emical Agents), as amended Value 2 mg/m3 0.1 mg/m3 g occupational health and sa | CGIH TLVs and BEIs Form Respirable fraction. Form Respirable fraction. |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Control of Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Ministry Components | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA of Exposure to Biological or Che Type TWA TWA TWA TWA TWA | 0.025 mg/m3 ased on the 1991 and 1997 Ad Value 2 mg/m3 0.025 mg/m3 emical Agents), as amended Value 2 mg/m3 0.1 mg/m3 g occupational health and sar Value | CGIH TLVs and BEIs Form Respirable fraction. Form Respirable fraction. |
| 1305-78-8) Quartz (CAS 14808-60-7) Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Ontario OELs. (Control of Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) Canada. Quebec OELs. (Ministry Components Calcium oxide (CAS 1305-78-8) Quartz (CAS 14808-60-7) | TWA Threshold Limit Values (TLVs) Ba ulation 91-191) Type TWA TWA of Exposure to Biological or Che Type TWA TWA of Labor - Regulation respecting Type TWA TWA TWA TWA | 0.025 mg/m3 ased on the 1991 and 1997 Ad Value 2 mg/m3 0.025 mg/m3 emical Agents), as amended Value 2 mg/m3 0.1 mg/m3 g occupational health and sa Value 2 mg/m3 0.05 mg/m3 | CGIH TLVs and BEIs Form Respirable fraction. Form Respirable fraction. fety) Form Respirable dust. |

| Canada. Saskatchewan OEl Components | _s (Occupational Health and Safety Regulations Type | , 1996, Table 21), a Value | ns amended Form |
|--|---|--|--|
| | 8 hour | 2 mg/m3 | |
| Quartz (CAS 14808-60-7) | 8 hour | 0.05 mg/m3 | Respirable fraction. |
| Biological limit values | No biological exposure limits noted for the ingred | ient(s). | |
| Exposure guidelines | Occupational exposure to nuisance dust (total an should be monitored and controlled. | d respirable) and re | espirable crystalline silica |
| Appropriate engineering controls | Good general ventilation should be used. Ventilation applicable, use process enclosures, local exhauss maintain airborne levels below recommended exp established, maintain airborne levels to an accep shower. | t ventilation, or othe posure limits. If exp | er engineering controls to osure limits have not been |
| • | such as personal protective equipment | | |
| Eye/face protection | Wear safety glasses with side shields (or goggles | s) and a face shield. | |
| Skin protection | | | |
| Hand protection | Wear appropriate chemical resistant gloves. Suita supplier. | able gloves can be | recommended by the glove |
| Other | Wear appropriate chemical resistant clothing. Use | e of an impervious a | apron is recommended. |
| Respiratory protection | If engineering controls do not maintain airborne of limits (where applicable) or to an acceptable level been established), an approved respirator must be protective equipment should be in accordance with Wear appropriate thermal protective clothing, who | l (in countries where be worn. Selection a th CSA Standard Z | e exposure limits have not ind use of respiratory |
| | | • | |
| General hygiene considerations | Observe any medical surveillance requirements. measures, such as washing after handling the ma smoking. Routinely wash work clothing and prote | aterial and before e | ating, drinking, and/or |

9. Physical and chemical properties

| 5. I hysical and chemical p | noperties |
|---|--|
| Physical state | Solid. |
| Form | Powder. |
| Colour | Gray to tan. Brown. |
| Odour | Odourless. |
| Odour threshold | Not applicable. |
| Melting point/freezing point | Property has not been measured. |
| Boiling point or initial boiling point and boiling range | 1000 °C (1832 °F) |
| Flammability | Will burn if involved in a fire. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not applicable, material is a solid. |
| Explosive limit – upper (%) | Not applicable, material is a solid. |
| Flash point | Not applicable, material is a solid. |
| Auto-ignition temperature | Not applicable, material is a solid. |
| Decomposition temperature | Property has not been measured. |
| рН | 8 - 11 |
| pH concentration | Property has not been measured. |
| Kinematic viscosity | Not applicable, material is a solid. |
| Solubility | |
| Solubility (water) | Slightly soluble |
| Partition coefficient (n-octanol/water) (log value) | Not applicable for inorganic substances. |
| Vapour pressure | Property has not been measured. |
| Vapour pressure temp. | Property has not been measured. |
| | |

| Density and/or relative density | |
|---------------------------------|---|
| Density | Property has not been measured. |
| Relative density | 2.1 - 2.8 |
| Relative density temperature | Property has not been measured. |
| Vapour density | Not applicable, material is a solid. |
| Particle characteristics | |
| Particle size | Property has not been measured. |
| Other information | |
| Evaporation rate | Not applicable, material is a solid. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| Viscosity | Not applicable, material is a solid. |
| 10. Stability and reactivity | |
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |

| Chemical stability | Material is stable under normal conditions. |
|---------------------------------------|---|
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Acids. Strong bases. Powerful oxidizers. Aluminium. Chlorine. Fluorine. Phosphorus. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | May cause damage to organs through prolonged or repeated exposure by inhalation. May cause cancer by inhalation. |
|--|---|
| Skin contact | Causes skin irritation. |
| Eye contact | Causes serious eye damage. |
| Ingestion | May cause discomfort if swallowed. |
| Symptoms related to the physical, chemical and toxicological characteristics | Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. |

Information on toxicological effects

| Acute toxicity | Not known. | | | |
|--------------------------------------|-------------------------|-------------------|--|--------|
| Components | Species | | Test Results | |
| Calcium oxide (CAS 1305 | 5-78-8) | | | |
| <u>Acute</u> | | | | |
| Oral | | | | |
| LD50 | Rat | | > 2000 mg/kg No deaths occured at th concentration. | nis |
| Quartz (CAS 14808-60-7) |) | | | |
| Chronic | | | | |
| Inhalation | | | | |
| LOEC | Human | | 0.0563 mg/m3 | |
| Skin corrosion/irritation | Causes skin | irritation. | | |
| Serious eye damage/eye irritation | e Causes serio | ous eye damage. | | |
| Respiratory or skin sense | sitisation | | | |
| Canada - Alberta OB | ELs: Irritant | | | |
| Calcium oxide (C | CAS 1305-78-8) | Irritant | | |
| Respiratory sensitis | ation Not a respiration | atory sensitiser. | | |
| Natural Pozzolan SCM | | | SDS | Canada |
| 971841 | Version #: 01 | Revision date: - | Issue date: 20-May-2025 | 5/8 |

| Skin sensitisation | This product is not expected to | o cause skin sensitisation. | |
|---|---|---|--|
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are | | |
| | mutagenic or genotoxic. | | |
| Carcinogenicity | In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer by inhalation. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. | | |
| ACGIH Carcinogens | | | |
| Quartz (CAS 14808-60-7 Canada - Alberta OELs: Car | , | A2 Suspected human carcinogen. | |
| Quartz (CAS 14808-60-7 Canada - Manitoba OELs: ca | , | Suspected human carcinogen. | |
| Quartz (CAS 14808-60-7 | | Suspected human carcinogen. | |
| Canada - Quebec OELs: Car | | | |
| Quartz (CAS 14808-60-7 IARC Monographs. Overall I |) Evaluation of Carcinogenicity | Suspected carcinogenic effect in humans. | |
| Quartz (CAS 14808-60-7 |) ogram (NTP) Report on Carcin | 1 Carcinogenic to humans. | |
| Quartz (CAS 14808-60-7 | | Known To Be Human Carcinogen. | |
| Reproductive toxicity | This product is not expected to | o cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | Not classified. | | |
| Specific target organ toxicity - repeated exposure | May cause damage to organs | (Lungs) through prolonged or repeated exposure by inhalation. | |
| Aspiration hazard | Not an aspiration hazard. | | |
| Chronic effects | Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Prolonged exposure may cause chronic effects. | | |
| 12. Ecological information | l | | |
| Ecotoxicity | | s environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment. | |
| Persistence and degradability | The product contains inorganic compounds which are not biodegradable. | | |
| Bioaccumulative potential | No data available. | | |
| Mobility in soil Other adverse effects | No data available. No data available. | | |
| | | | |
| 13. Disposal consideration | | in eacled containers at licenced waste dispessed site. Dispesse of | |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| Local disposal regulations | Dispose in accordance with al | | |
| Hazardous waste code | The waste code should be ass disposal company. | signed in discussion between the user, the producer and the waste | |
| Waste from residues / unused products | Dispose of in accordance with | local regulations. Empty containers or liners may retain some al and its container must be disposed of in a safe manner. | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. | | |
| Natural Pozzolan SCM | | | |

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

| | contains all the information required by the HPR. | |
|---|---|-----------|
| Controlled Drugs and Subst | tances Act | |
| Not regulated. | | |
| Export Control List (CEPA 1 | 1999, Schedule 3) | |
| Not listed. | | |
| Greenhouse Gases | | |
| Not listed. Precursor Control Regulation | ons | |
| Not regulated. | | |
| International regulations | | |
| Stockholm Convention | | |
| Not applicable. Rotterdam Convention | | |
| Not applicable. Kyoto Protocol | | |
| Not applicable. Montreal Protocol | | |
| Not applicable. | | |
| Basel Convention | | |
| Not applicable. | | |
| International Inventories | | |
| Country(s) or region | Inventory name On inventory | (ves/no)* |
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| *A "Yes" indicates that all compo | nents of this product comply with the inventory requirements administered by the governing country(s) | |

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

| Issue date | 20-May-2025 |
|---------------|-------------|
| Revision date | - |
| Version No. | 01 |

Amrize Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.