

SOLHYDBOND ARMATURE PART B

SECTION 1. IDENTIFICATION

Product Identifier	SOLHYDBOND ARMATURE PART B
Other Means of Identification	SOL-BONDARMA-B
Product Family	HARDENER FOR EPOXY RESIN
Recommended Use	Epoxy Hardener for Epoxy coating system.
Restrictions on Use	Use with Part A (resin) of this product.
Manufacturer/Supplier Identifier	BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7, Marc Charlebois, 877-267-7249
Supplier Identifier	BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7, Marc Charlebois, 877-267-7249
Emergency Phone No.	Marc Charlebois, 514-705-7198, 24 Heures / 7 Jours CANUTEC, 613-996-6666, 24HR/7Jours
SDS No.	0330

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Acute toxicity (Oral) - Category 4; Acute toxicity (Dermal) - Category 4; Acute toxicity (Inhalation) - Category 4; Skin corrosion - Category 1; Eye irritation - Category 2A; Respiratory sensitization - Category 1B; Skin sensitization - Category 1; Reproductive toxicity - Category 2; Aquatic hazard (Chronic) - Category 2

Label Elements



Signal Word:

Warning

Hazard Statement(s):

May cause an allergic skin reaction.

Causes serious eye irritation.

Precautionary Statement(s):

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

In case of inadequate ventilation wear respiratory protection (NIOSH approved air-purifying respirator with an organic vapour cartridge).

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Product Identifier: SOLHYDBOND ARMATURE PART B - Ver. 1

Date of Preparation:

Date of Last Revision: janvier 18, 2016

Page 01 of 06

Avoid release to the environment.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

If SWALLOWED: Call a POISON CENTRE/doctor/ if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Wash contaminated clothing before reuse.

Immediately call a POISON CENTRE or doctor.

Collect spillage.

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

May be a health hazard in confined spaces.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
	Trade Secret	1 - < 3 %		Trade Secret
Tetraethylenepentamine	112-57-2	1 - < 5%		

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Call a Poison Centre or doctor if you feel unwell.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation or a rash occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

Ingestion

DO NOT INDUCE VOMITING get medical advice or attention if you feel unwell or are concerned. Have victim drink water or milk, if conscious.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

If in eyes: can cause effects as described for skin contact. The vapour also irritates or burns the skin. Permanent scarring can result. If on skin: repeated or prolonged exposure can irritate the skin. If inhaled: may cause moderate to severe irritation.

Product Identifier: SOLHYDBOND ARMATURE PART B - Ver. 1

Date of Preparation:

Date of Last Revision: janvier 18, 2016

Page 02 of 06

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin, respiratory system, digestive system.

Special Instructions

Not applicable.

Medical Conditions Aggravated by Exposure

Eye conditions, respiratory conditions, asthma. May cause skin sensitization.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog. Use water to keep non-leaking, fire-exposed containers cool.

Unsuitable Extinguishing Media

Not applicable.

Specific Hazards Arising from the Product

May accumulate in hazardous amounts at ceilings and at the top of confined spaces, resulting in a health hazard.

Heating increases the release of toxic vapour.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; corrosive phenols.

Special Protective Equipment and Precautions for Fire-fighters

Approach fire from upwind to avoid hazardous vapours or gases. Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours.

Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Large spills or leaks: collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Wear personal protective equipment to avoid direct contact with this chemical. Avoid generating vapours or mists. Do not swallow. Wash hands thoroughly after handling this material. Use adequate ventilation and employ respiratory protection where dust or fumes may be generated.

Conditions for Safe Storage

Product Identifier: SOLHYDBOND ARMATURE PART B - Ver. 1

Date of Preparation:

Date of Last Revision: janvier 18, 2016

Page 03 of 06

Concentrated product: store in an area that is: ventilated, cool.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

No established

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average.

Appropriate Engineering Controls

Concentrated product: general ventilation is usually adequate. Provide eyewash in work area, if contact or splash hazard exists. Breathing Vapours must be avoided.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Concentrated product: wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Light yellow oily liquid.
Odour	Ammonia-like
Odour Threshold	Not applicable
pH	Not applicable
Melting Point/Freezing Point	Not applicable (melting)
Flash Point	> 121 °C (250 °F)
Evaporation Rate	<= 1 (diethyl ether = 1)
Vapour Density (air = 1)	Not applicable
Solubility	Soluble (more than 10-50 g/100 mL) in water
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Controlled polymerizations when mixed with the part A of this material.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Reacts in the presence of heat. See "Hazardous Decomposition Products".

Conditions to Avoid

Prolonged exposure to high temperatures.

Incompatible Materials

Highly reactive. Oxidizing agents (e.g. peroxides), strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide).

Hazardous Decomposition Products

When exposed to very high temperatures will release very toxic carbon monoxide, carbon dioxide; corrosive phenols.

Product Identifier: SOLHYDBOND ARMATURE PART B - Ver. 1

Date of Preparation:

Date of Last Revision: janvier 18, 2016

Page 04 of 06

SECTION 11. TOXICOLOGICAL INFORMATION

Corrosive liquid information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Skin contact; eye contact; inhalation; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Tetraethylenepentamine	> 150 mg/m ³ (rat) (4-hour exposure)	2100 mg/kg (rat)	660 mg/kg (rabbit)

Skin Corrosion/Irritation

Repeated or prolonged exposure can irritate or burn the skin.

Serious Eye Damage/Irritation

Symptoms include sore, red eyes, and tearing.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful nose and throat irritation.

Skin Absorption

May be harmful can cause sensitization.

Ingestion

May be harmful Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Conclusions cannot be drawn from the limited studies available.

Respiratory and/or Skin Sensitization

Human experience shows severe asthma or asthma-like symptoms (respiratory sensitization) in rare cases following exposure at work. Skin sensitizer.

Reproductive Toxicity

Development of Offspring

Studies in people and animals show effects on the unborn child. Suspected of damaging Fertility.

No information was located for: STOT (Specific Target Organ Toxicity) - Single Exposure, Aspiration Hazard, STOT (Specific Target Organ Toxicity) - Repeated Exposure, Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

Not hazardous to the environment.

Ecotoxicity

Studies were not located.

Persistence and Degradability

Considered not to degrade rapidly, because no data regarding degradability are available.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

Product Identifier: SOLHYDBOND ARMATURE PART B - Ver. 1

Date of Preparation:

Date of Last Revision: janvier 18, 2016

Page 05 of 06

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	2735	Amines, Liquid.corrosive N.O.S. (Polyoxypropylene diamine,Alkylated Phenol))	8	III

Environmental Hazards Marine Pollutant (4-Nonylphenol, branched (mixed isomers))

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 3 Flammability - 0

SDS Prepared By KRYTEX

Phone No. 450-651-8511

Date of Last Revision janvier 18, 2016

Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists
IARC = International Agency for Research on Cancer
NIOSH = National Institute for Occupational Safety and Health
OSHA = US Occupational Safety and Health Administration

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer We declare the information contained herein are correct. However, we decline all responsibility as to the exactness and the usage of the later.

Product Identifier: SOLHYDBOND ARMATURE PART B - Ver. 1

Date of Preparation:

Date of Last Revision: janvier 18, 2016

Page 06 of 06