SDS No.: 0188



STRUCTUROC V-PLUS

SECTION 1. IDENTIFICATION

Product Identifier STRUCTUROC V-PLUS
Other Means of SOL-ROC-V-PLUS

Identification

Recommended Use Quick setting cement repair mortar for vertical application for Industrial, Commercial and

Institutional use.

Manufacturer/Supplier BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7,

Identifier Mar

Marc Charlebois, 877-267-7249

Supplier Identifier BMQ SOLUTIONS, 1522 Boulevard des Laurentides, Laval, Qc, H7M 2N7,

Marc Charlebois, 877-267-7249

Emergency Phone No. Marc Charlebois, 514-705-7198, 24 Heures / 7 Jours

CANUTEC, 613-996-6666, 24HR/7Jours

Josiane Gagnon, 514-909-5277, 24 Heures / 7 Jours

SDS No. 0188

Date of Preparation mai 13, 2016

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Acute toxicity (Oral) - Category 4; Skin irritation - Category 2; Serious eye damage - Category 1; Respiratory sensitization - Category 1; Skin sensitization - Category 1; Carcinogenicity - Category 1A; Reproductive toxicity - Category 1B; Specific target organ toxicity (single exposure) - Category 3; Specific target organ toxicity (repeated exposure) - Category 1

Label Elements







Danger

Hazard Statement(s): Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

May cause respiratory irritation.

Prevention:

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 01 of 07

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Use only outdoors or in a well-ventilated area.

Do not breathe dust.

Response:

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTRE or doctor.

IF ON SKIN: Wash with plenty of water/

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice or attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

Contains ingredients -in there powdered form -that are suspected of cancer caused by overexpose to the dust and Respirable fractions.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | Other Identifiers | Other Names |
|-------------------|------------|-----|-------------------|-------------|
| Silica, quartz | 14808-60-7 | <53 | | |
| Portland cement | 65997-15-1 | <30 | | |
| Calcium carbonate | 1317-65-3 | <12 | | |

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Get medical advice or attention if you feel unwell. Can cause respiratory irritation or lung damage avoid mouth-to-mouth contact by using a barrier device.

Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation occurs, get medical advice or attention. For severe exposures; get under safety shower after removing clothing. Do not apply greases or ointments if abrasion or burns, seek medical attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention. Seek medical attention for abrasion and burns.

Ingestion

Have victim drink several glasses of water, if conscious never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Get medical advice or attention if you feel unwell or are concerned. If vomiting is inevitable, prevent aspiration by keeping the victims head below the knee immediately call a Poison Centre or doctor.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1 SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 02 of 07

Most Important Symptoms and Effects, Acute and Delayed

If in eyes: can cause thermal burns from heat released when it reacts with water. Symptoms include pain, redness, and swelling. If on skin: may cause skin and eye irritation. May cause burns in presence of moisture do not allow product to harden or have prolonged contact with skin or around body parts if inhaled: may cause respiratory irritation could severely damage lung tissue in rare cases, may cause asthma or an asthma-like reaction.

Immediate Medical Attention and Special Treatment

Target Organs

Respiratory system, eyes, skin.

Special Instructions

Symptoms may not appear immediately.

Medical Conditions Aggravated by Exposure

Respiratory conditions, skin conditions.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

This product presents no unusual hazards in a fire situation.

Not known to generate any hazardous decomposition products in a fire. may include but not limited to Carbon oxides.

Special Protective Equipment and Precautions for Fire-fighters

Approach fire from upwind to avoid hazardous vapours or gases.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Allow the product to dry and harden. Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. Minimize the use of water to prevent environmental contamination.

Methods and Materials for Containment and Cleaning Up

Do not direct water at spill or source. Avoid generating dust. Avoid dry sweeping. If necessary, use a dust suppressant such as water. Do not use compressed air for clean-up. Small spills or leaks: collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal. Large spills or leaks: remove or recover liquid using pumps or vacuum equipment. Avoid generating dust. Get expert advice before treating the spilled product with other chemicals to make it less hazardous.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid generating dusts. Use adequate ventilation and employ respiratory protection where dust or fumes may be generated avoid repeated or prolonged skin contact. Do not get in eyes. Do not use compressed air for cleaning clothing or equipment, etc. Prevent all skin contact.

Conditions for Safe Storage

Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Store in the original, labelled, shipping container. Avoid dust build up keep the container away from moisture.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1 SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 03 of 07

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Chemical Name | ACGIH 1 | ACGIH TLV® | | OSHA PEL | | AIHA WEEL | |
|-------------------|------------------------|------------|----------------------|----------|----------|-----------|--|
| | TWA | STEL | TWA | Ceiling | 8-hr TWA | TWA | |
| Silica, quartz | 0.025 mg/m3 A2 RSEN | | 0.1 mg/m3 | | | | |
| Portland cement | 1 mg/m3 (E) RSEN | | 15 mg/m3 (E) RSEN | | | | |
| Calcium carbonate | Not established | | 15 mg/m3 | | | | |

Appropriate Engineering Controls

Avoid breathing dust keep exposure levels below the exposure limits use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear suitable waterproof gloves wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved particulate respirator equipped with an N95, R95, or P95 filter. When ventilation is inadequate wear a NIOSH approved air-purifying respirator with N100, R100, or P100 filter(s).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Dark grey - brown fine powder.

Odour Threshold Not available

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot applicableEvaporation RateNot applicableFlammability (solid, gas)Will not burn.

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not applicable
Vapour Density (air = 1) Not available

Solubility Slightly soluble in water; Insoluble in ketones (e.g. acetone).

Auto-ignition Temperature Not applicable

Decomposition Temperature Not available

Other Information

Physical State Solid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use. Will react in presence of water- Will heat up and harden.

Chemical Stability

Normally stable. Keep in a dry storage area.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1 SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 04 of 07

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

May include ,and are not limited to: oxides of carbon.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; skin absorption; eye contact; ingestion.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|-------------------|------|------------------------|---------------|
| Silica, quartz | | 500 mg/kg (rat) (dust) | |
| Calcium carbonate | | 6540 mg/kg (rat) | |

Skin Corrosion/Irritation

May cause moderate or severe irritation based on information for closely related materials. May cause moderate or severe irritation based on information for closely related materials. May burn the skin. Permanent scarring may result.

Serious Eye Damage/Irritation

May cause serious eye damage based on information for closely related materials. Symptoms include sore, red eyes, and tearing. May cause cornea damage or blindness.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause respiratory tract irritation symptoms include burning, sneezing and coughing symptoms shortness of breath, fever, cough and weight loss, could cause death may cause serious lung disease acute silicosis.

Skin Absorption

Can cause effects as described for inhalation. Symptoms may include redness, rash, swelling and itching. Thermal burns from heat released when it reacts with water.

Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. Respiratory tract injury has been observed. Lung disease silicosis.

Respiratory and/or Skin Sensitization

Human experience shows an allergic skin reaction (skin sensitization) in rare cases following exposure at work. Chronic exposure can cause lung cancer, auto immune and chronic kidney diseases, tuberculosis.

Carcinogenicity

| Chemical Name | IARC | ACGIH® | NTP | OSHA |
|-------------------|---------|--------|------------------|------|
| Silica, quartz | Group 1 | A2 | Known carcinogen | |
| Portland cement | | A4 | | |
| Calcium carbonate | Group 1 | | Known carcinogen | |

May cause cancer based on information for closely related chemicals. Known to cause: lung cancer.

Reproductive Toxicity

Development of Offspring

Product Identifier: STRUCTUROC V-PLUS - Ver. 1 SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 05 of 07

Conclusions cannot be drawn from the limited studies available.

Sexual Function and Fertility

Conclusions cannot be drawn from the limited studies available.

Effects on or via Lactation

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No information was located. May cause long term adverse effects in aquatic environment.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

This product has been classified in accordance with hazard criteria of the Controlled products regulations and this SDS contains all information required by the Controlled Products Regulations.

Canada

WHMIS 1988 Classification





Class D2A; D2B

Class F

D2A - Very Toxic (Chronic toxicity); D2B - Toxic (Skin irritant; Eye irritant); E - Corrosive

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 0 Instability - 0

SDS Prepared By BMQ SOLUTIONS Phone No. 877-276-7249
Date of Preparation mai 13, 2016

Date of Last Revision décembre 17, 2018

Product Identifier: STRUCTUROC V-PLUS - Ver. 1 SDS No.: 0188

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 06 of 07

Revision Indicators The following SDS content was changed on; SECTION 11. TOXICOLOGICAL INFORMATION;

Carcinogenicity; Carbonate de Calcium

Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists

AIHA® = AIHA® Guideline Foundation OSHA = US Occupational Safety and Health

Administration

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer We declare the information contained herein are correct. However, we decline all responsibility

as to the exactness and the usage of the later.

Product Identifier: STRUCTUROC V-PLUS - Ver. 1

Date of Preparation: mai 13, 2016

Date of Last Revision: décembre 17, 2018 Page 07 of 07

SDS No.: 0188

