

# SAFETY DATA SHEET

## 1. Identification

|  |  |  |
|--|--|--|
| Product identifier                                     | Limestone and Dolomite   |  |
| Other means of identification                          |  |  |
| Synonyms   | Aggregates * Asphalt Sand * Base Material * Calcium Carbonate * Carbonate Rock * Concrete Sand * Crushed Rock * Crushed Run * Crushed Stone * Dense Graded Aggregate * Dolomite * Dolostone * Fill Sand * Golf Course Sand * Gravel * Limestone * Manufactured Sand * Mason Sand   |  |
| Recommended use  | Construction.  |  |
| Recommended restrictions                               | Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations. Uses other than the recommended use. |  |
| Manufacturer/Importer/Supplier/Distributor information |  |  |
| Company name   | Amrize Inc.  |  |
| Address  | 6509 Airport Road<br>Mississauga, Ontario L4V 157  |  |
| Telephone  | Eastern Canada: (905) 738-7070<br>Western Canada: (403) 225-5400   |  |
| Website  | www.amrize.com   |  |
| E-mail   | sdsinfo@amrize.com   |  |
| Emergency telephone number                             | CHEMTREC within USA and Canada: 1-800-424-9300<br>CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)  |  |

## 2. Hazard identification

|                          |  |                    |
|--------------------------|--|--------------------|
| Physical hazards         | Not classified.  |                    |
| Health hazards           | Carcinogenicity (inhalation)   | Category 1A        |
|                          | Specific target organ toxicity - repeated exposure (inhalation)  | Category 1 (Lungs) |
| Label elements           |   |                    |
| Signal word              | Danger   |                    |
| Hazard statement         | May cause cancer by inhalation. Causes damage to organs (Lungs) through prolonged or repeated exposure by inhalation.  |                    |
| Precautionary statement  |  |                    |
| Prevention               | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |                    |
| Response                 | IF exposed or concerned: Get medical advice/attention.   |                    |
| Storage                  | Store locked up.   |                    |
| Disposal                 | Dispose of contents/container in accordance with local/regional/national/international regulations.  |                    |
| Supplemental information | None.  |                    |

**Other hazards** None known.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name | Common name and synonyms                        | CAS number | %       |
|---------------|---|------------|---------|
| Quartz silica | Silicon dioxide<br>Quartz<br>Crystalline silica | 14808-60-7 | 10 - 30 |

#### Composition comments

All concentrations are in percent by weight. Any concentration shown as a range is to protect confidentiality or is due to batch variation. Components not listed are either non-hazardous or are below reportable limits.

### 4. First-aid measures

#### Inhalation

If not breathing, give artificial respiration.

#### Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

#### Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

#### Ingestion

Rinse mouth. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Coughing. Prolonged exposure may cause chronic effects.

#### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

#### General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

#### Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. Combustion products may include: Calcium oxides. Carbon oxides. Oxides of magnesium. Silicon oxides.

#### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### General fire hazards

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#### Methods and materials for containment and cleaning up

The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labelled containers. For waste disposal, see section 13 of the SDS. The product is insoluble in water.

#### Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store locked up. Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values (TLV)

| Components                     | Type | Value                   | Form                 |
|--------------------------------|------|-------------------------|----------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended

| Components                     | Type | Value                   | Form                  |
|--------------------------------|------|-------------------------|-----------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable particles. |

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components                     | Type | Value                   | Form                 |
|--------------------------------|------|-------------------------|----------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended

| Components                     | Type | Value                   | Form                 |
|--------------------------------|------|-------------------------|----------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

#### Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191)

| Components                     | Type | Value                   | Form                 |
|--------------------------------|------|-------------------------|----------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended

| Components                     | Type | Value                 | Form                 |
|--------------------------------|------|-----------------------|----------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.1 mg/m <sup>3</sup> | Respirable fraction. |

#### Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

| Components                     | Type | Value                  | Form             |
|--------------------------------|------|------------------------|------------------|
| Quartz silica (CAS 14808-60-7) | TWA  | 0.05 mg/m <sup>3</sup> | Respirable dust. |

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended

| Components                     | Type   | Value                  | Form                 |
|--------------------------------|--------|------------------------|----------------------|
| Quartz silica (CAS 14808-60-7) | 8 hour | 0.05 mg/m <sup>3</sup> | Respirable fraction. |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

|                                       |  |
|---------------------------------------|--|
| <b>Other</b>                          | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.   |
| <b>Respiratory protection</b>         | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Selection and use of respiratory protective equipment should be in accordance with CSA Standard Z94.4. |
| <b>Thermal hazards</b>                | Wear appropriate thermal protective clothing, when necessary.  |
| <b>General hygiene considerations</b> | Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.   |

## 9. Physical and chemical properties

|   |                                       |
|---|---------------------------------------|
| <b>Physical state</b>   | Solid.                                |
| <b>Form</b>   | Solid. Solid.                         |
| <b>Colour</b>   | Variable in color.                    |
| <b>Odour</b>  | Odourless.                            |
| <b>Odour threshold</b>  | Not applicable.                       |
| <b>Melting point/freezing point</b>                             | Property has not been measured.       |
| <b>Boiling point or initial boiling point and boiling range</b> | > 1000 °C (> 1832 °F)                 |
| <b>Flammability</b>   | The product is non-combustible.       |
| <b>Upper/lower flammability or explosive limits</b>             |                                       |
| <b>Explosive limit - lower (%)</b>                              | Not applicable, material is a solid.  |
| <b>Explosive limit – upper (%)</b>                              | Not applicable, material is a solid.  |
| <b>Flash point</b>  | Not applicable, material is a solid.  |
| <b>Auto-ignition temperature</b>                                | Not applicable, material is a solid.  |
| <b>Decomposition temperature</b>                                | Property has not been measured.       |
| <b>pH</b>   | Property has not been measured.       |
| <b>pH concentration</b>   | Property has not been measured.       |
| <b>Kinematic viscosity</b>                                      | Not applicable, material is a solid.  |
| <b>Solubility</b>   |                                       |
| <b>Solubility (water)</b>                                       | Insoluble in water.                   |
| <b>Partition coefficient (n-octanol/water) (log value)</b>      | Not applicable, product is a mixture. |
| <b>Vapour pressure</b>  | Property has not been measured.       |
| <b>Vapour pressure temp.</b>                                    | Property has not been measured.       |
| <b>Density and/or relative density</b>                          |                                       |
| <b>Density</b>  | Property has not been measured.       |
| <b>Relative density</b>   | 2.6 - 2.8                             |
| <b>Relative density temperature</b>                             | Property has not been measured.       |
| <b>Vapour density</b>   | Not applicable, material is a solid.  |
| <b>Particle characteristics</b>                                 | Property has not been measured.       |
| <b>Other information</b>  |                                       |
| <b>Evaporation rate</b>   | Not applicable, material is a solid.  |
| <b>Explosive properties</b>                                     | Not explosive.                        |
| <b>Oxidising properties</b>                                     | Not oxidising.                        |
| <b>Viscosity</b>  | Property has not been measured.       |

## 10. Stability and reactivity

|                        |   |
|------------------------|---|
| <b>Reactivity</b>      | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Limestone and Dolomite | SDS Canada  |

|   |   |
|---|---|
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                         |
| <b>Conditions to avoid</b>                | Contact with incompatible materials. Avoid generation of dust.                      |
| <b>Incompatible materials</b>             | Acids. Powerful oxidizers. Chlorine. Fluorine. Hydrofluoric acid.                   |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known. In the event of fire: See Section 5. |

## 11. Toxicological information

### Information on likely routes of exposure

|   |   |
|---|---|
| <b>Inhalation</b>   | Causes damage to organs through prolonged or repeated exposure by inhalation. May cause cancer by inhalation. |
| <b>Skin contact</b>   | Prolonged skin contact may cause temporary irritation.  |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation.  |
| <b>Ingestion</b>  | May cause discomfort if swallowed.  |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Coughing. Prolonged exposure may cause chronic effects.   |

### Information on toxicological effects

| Components                               | Species  | Test Results             |
|--|--|--------------------------|
| Quartz silica (CAS 14808-60-7)           |  |                          |
| <b>Chronic</b>                           |  |                          |
| <b>Inhalation</b>                        |  |                          |
| LOEC                                     | Human  | 0.0563 mg/m <sup>3</sup> |
| <b>Skin corrosion/irritation</b>         | Prolonged skin contact may cause temporary irritation.   |                          |
| <b>Serious eye damage/eye irritation</b> | Direct contact with eyes may cause temporary irritation.   |                          |
| <b>Respiratory or skin sensitisation</b> |  |                          |
| <b>Respiratory sensitisation</b>         | Not a respiratory sensitisier.   |                          |
| <b>Skin sensitisation</b>                | This product is not expected to cause skin sensitisation.  |                          |
| <b>Germ cell mutagenicity</b>            | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.   |                          |
| <b>Carcinogenicity</b>                   | In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer by inhalation. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. |                          |

### ACGIH Carcinogens

Quartz silica (CAS 14808-60-7)

A2 Suspected human carcinogen.

**Canada - Alberta OELs: Carcinogen category**

Quartz silica (CAS 14808-60-7)

Suspected human carcinogen.

**Canada - Manitoba OELs: carcinogenicity**

Quartz silica (CAS 14808-60-7)

Suspected human carcinogen.

**Canada - New Brunswick OELs: Carcinogen category**

Quartz silica (CAS 14808-60-7)

A2: Suspected human carcinogen

**Canada - Quebec OELs: Carcinogen category**

Quartz silica (CAS 14808-60-7)

Suspected carcinogenic effect in humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Quartz silica (CAS 14808-60-7)

1 Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Quartz silica (CAS 14808-60-7)

Known To Be Human Carcinogen.

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure****Specific target organ toxicity - repeated exposure** Causes damage to organs (Lungs) through prolonged or repeated exposure by inhalation.**Aspiration hazard**

Not an aspiration hazard.

**Chronic effects**

Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure. Prolonged exposure may cause chronic effects.

**12. Ecological information****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability**

The product contains inorganic compounds which are not biodegradable.

**Bioaccumulative potential**

No data available.

**Mobility in soil**

The product is insoluble in water. Not expected to be mobile in soil.

**Other adverse effects**

No data available.

**13. Disposal considerations****Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**

Dispose in accordance with all applicable regulations.

**Hazardous waste code**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. Transport information****TDG**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.**15. Regulatory information****Canadian regulations**

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada Controlled Drugs and Substances Act, Schedule I**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule II**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule III**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule IV**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule V**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule VI**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule VII**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule VIII**

Not regulated.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**International regulations****Stockholm Convention**

Not listed.

**Rotterdam Convention**

Not listed.

**Kyoto Protocol**

Not listed.

**Montreal Protocol**

Not listed.

**Basel Convention**

Not listed.

**International Inventories**

| Country(s) or region        | Inventory name  | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia                   | Australian Inventory of Industrial Chemicals (AICIS)              | Yes                    |
| Canada                      | Domestic Substances List (DSL)                                    | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                               | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)        | Yes                    |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)          | Yes                    |
| Korea                       | Existing Chemicals List (ECL)                                     | Yes                    |
| New Zealand                 | New Zealand Inventory   | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes                    |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                        | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                     | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information**

**Issue date** 12-May-2025

**Revision date** 18-November-2025

**Version No.** 02

## Disclaimer

Amrize Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.