SAFETY DATA SHEET



1. Identification

Product identifier Sandstone

Other means of identification

Synonyms Sandstone, Aggregates, Crushed Stone, Crushed Rock, Crushed Run, Gravel, Manufactured

Sand, Concrete Sand, Asphalt Sand, Mason Sand, Fill Sand, Golf Course Sand, Base Material,

Dense Graded Aggregate.

Recommended use Construction.

Recommended restrictions Uses other than the recommended use.

Manufacturer/Importer/Supplier/Distributor information

Company Name Amrize Inc.

Address 8700 W Bryn Mawr Ave, Suite 300

Chicago, IL 60631

(773) 372-1000 **Telephone** Website www.amrize.com E-mail sdsinfo@amrize.com

Emergency Telephone

Number

CHEMTREC within USA and Canada: 1-800-424-9300

CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Category 2 (Lungs)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity (inhalation) Category 1A

Specific target organ toxicity, repeated

exposure

OSHA defined hazards Not classified.

Label elements



Signal word

May cause cancer by inhalation. May cause damage to organs (Lungs) through prolonged or **Hazard statement**

repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye

protection/face protection.

If exposed or concerned: Get medical advice/attention. Response

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Quartz	14808-60-7	85 - 100

SDS US Sandstone 971832 Version #: 01 Revision date: -Issue date: 09-May-2025

Chemical name CAS number

12001-26-2 Mica

Composition comments

All concentrations are in percent by weight. Any concentration shown as a range is to protect

confidentiality or is due to batch variation.

4. First-aid measures

If not breathing, give artificial respiration. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Coughing. Prolonged exposure may cause chronic effects.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Suitable extinguishing media Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from the chemical

oxides. Silicon oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

During fire, gases hazardous to health may be formed. Combustion products may include: Carbon

Special protective equipment and precautions for firefighters

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Components	Туре	Value	
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	

propriate engineering apprint in the state of the state o	Type TWA TWA O Life or Health (IDLH) Values, Type IDLH IDLH IDLH mical Hazards Type TWA	20 mppcf 0.1 mg/m3 2.4 mppcf Value 0.1 mg/m3 0.025 mg/m3 , as amended Value 1500 mg/m3 50 mg/m3 Value 3 mg/m3	Respirable. Respirable. Form Respirable fraction. Respirable fraction.
US. ACGIH Threshold Limit Value Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) NIOSH. Immediately Dangerous to Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Propriate engineering Components Occupations Note of the Component of Caste Ca	Type TWA TWA O Life or Health (IDLH) Values, Type IDLH IDLH IDLH mical Hazards Type TWA	2.4 mppcf Value 0.1 mg/m3 0.025 mg/m3 , as amended Value 1500 mg/m3 50 mg/m3 Value	Form Respirable fraction. Respirable fraction.
Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) NIOSH. Immediately Dangerous to Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Propriate engineering Components Occupation of the Components Note (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Occupation of the Components Occupation of	Type TWA TWA O Life or Health (IDLH) Values, Type IDLH IDLH IDLH mical Hazards Type TWA	Value 0.1 mg/m3 0.025 mg/m3 , as amended Value 1500 mg/m3 50 mg/m3 Value	Form Respirable fraction. Respirable fraction.
Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) NIOSH. Immediately Dangerous to Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Propriate engineering Components Occupation of the Components Note (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Occupation of the Components Occupation of	Type TWA TWA O Life or Health (IDLH) Values, Type IDLH IDLH IDLH mical Hazards Type TWA	0.1 mg/m3 0.025 mg/m3 , as amended Value 1500 mg/m3 50 mg/m3 Value	Respirable fraction. Respirable fraction. Form
Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) NIOSH. Immediately Dangerous to Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Propriate engineering Components Occupation of the Components Note (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Occupation of the Components Occupation of	Type TWA TWA O Life or Health (IDLH) Values, Type IDLH IDLH IDLH mical Hazards Type TWA	0.1 mg/m3 0.025 mg/m3 , as amended Value 1500 mg/m3 50 mg/m3 Value	Respirable fraction. Respirable fraction. Form
Quartz (CAS 14808-60-7) NIOSH. Immediately Dangerous to Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) logical limit values propriate engineering drols ividual protection measures, such	TWA o Life or Health (IDLH) Values, Type IDLH IDLH mical Hazards Type TWA	0.025 mg/m3 , as amended Value 1500 mg/m3 50 mg/m3 Value	Respirable fraction. Form
NIOSH. Immediately Dangerous of Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Propriate engineering Occupants Occ	o Life or Health (IDLH) Values, Type IDLH IDLH mical Hazards Type	value 1500 mg/m3 50 mg/m3 Value	Form
Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Iogical limit values Propriate engineering Octobropriate engineer	Type IDLH IDLH mical Hazards Type TWA	Value 1500 mg/m3 50 mg/m3 Value	
Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) Ilogical limit values Propriate engineering Octobropriate enginee	IDLH IDLH mical Hazards Type TWA	1500 mg/m3 50 mg/m3 Value	
Quartz (CAS 14808-60-7) US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) logical limit values posure guidelines Occupations Occu	IDLH mical Hazards Type TWA	50 mg/m3	
US. NIOSH: Pocket Guide to Che Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) logical limit values posure guidelines propriate engineering	mical Hazards Type TWA	Value	
Components Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) logical limit values posure guidelines oropriate engineering trols app mai esta	Type TWA		
Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7) logical limit values posure guidelines propriate engineering	TWA		
Quartz (CAS 14808-60-7) logical limit values No soure guidelines Occurs Show or opriate engineering Government Governmen		3 mg/m3	Dooniroblo
logical limit values posure guidelines propriate engineering itrols app mai esta dividual protection measures, such	T) 4 / 4	•	Respirable.
propriate engineering God appropriate engineering main estatividual protection measures, such	TWA	0.05 mg/m3	Respirable dust.
sho propriate engineering Goo app mai esta ividual protection measures, such	biological exposure limits noted	for the ingredient(s).	
itrols app mai esta ividual protection measures, such	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.		
-	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Eye/face protection If co	as personal protective equipr	ment	
	ontact is likely, safety glasses wit	th side shields are recommended	d.
Skin protection			
	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
Skin protection Other Use			
Respiratory protection If el	of an impervious apron is recon	nmended	

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR

1910.134.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state** Powder. **Form**

Color Variable in color.

Odor Odorless. **Odor threshold** Not applicable.

Property has not been measured. Property has not been measured. pH concentration

SDS US Sandstone

Melting point/freezing point Property has not been measured.

Initial boiling point and boiling

range

> 1832 °F (> 1000 °C)

Flash point

Not applicable, material is a solid.

Evaporation rate

Not applicable, material is a solid.

Flammability (solid, gas)

The product is non-combustible.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not applicable, material is a solid.

Explosive limit - upper (%) Not applicable, material is a solid.

Vapor pressure Property has not been measured.

Vapor pressure temp. Property has not been measured.

Relative density 2.5 - 2.7

Relative density temperature

Property has not been measured.

Not applicable, material is a solid.

Solubility(ies)

Vapor density

Solubility (water) Property has not been measured.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water)

Auto-ignition temperature

Not applicable, material is a solid.

Property has not been measured.

Viscosity

Property has not been measured.

Other information

Density Property has not been measured.

Explosive properties Not explosive.

Kinematic viscosity Not applicable, material is a solid.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid generation of dust.

Incompatible materials Powerful oxidizers. Chlorine. Fluorine. Hydrofluoric acid. Boron trifluoride. Chlorine trifluoride.

Manganese trifluoride. Oxygen difluoride.

Hazardous decomposition

products

No hazardous decomposition products are known. In the event of fire: See Section 5.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause cancer by inhalation. Prolonged inhalation may be harmful.

Skin contactProlonged skin contact may cause temporary irritation.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Coughing. Prolonged exposure may cause chronic effects.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Quartz (CAS 14808-60-7)

Chronic Inhalation

LOEC Human 0.0563 mg/m3

Skin corrosion/irritation Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and

in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer by inhalation. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

NTP Report on Carcinogens

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (CAS 14808-60-7)

Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability The product contains inorganic compounds which are not biodegradable.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water. Not expected to be mobile in soil.

Issue date: 09-May-2025

Other adverse effects No data available.

13. Disposal considerations

971832 Version #: 01 Revision date: -

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (CAS 14808-60-7) Cancer

lung effects

immune system effects

kidney effects

Toxic Substances Control Act (TSCA)

One or more components of the mixture are not on the TSCA 8(b) inventory

or are designated "inactive".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Carcinogenicity

categories Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Mica (CAS 12001-26-2)

Quartz (CAS 14808-60-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7)

US. Rhode Island RTK

Mica (CAS 12001-26-2) Quartz (CAS 14808-60-7)

California Proposition 65



WARNING: This product can expose you to Quartz, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (CAS 14808-60-7) Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information, including date of preparation or last revision

Issue date 09-May-2025

Revision date - 01

HMIS® ratings Health: 2*

Flammability: 0 Physical hazard: 0

Disclaimer Amrize Inc. cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).