SAFETY DATA SHEET



1. Identification

Product identifier Clarion Sandstone (Shale)

Other means of identification

Synonyms Mud Rock, Rock Shale, Clarion Sandstone, Shale

Recommended use Construction.

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations. Uses other than the recommended use.

Manufacturer/Importer/Supplier/Distributor information

Company name Amrize Inc.

Address 6509 Airport Road

Mississauga, Ontario L4V 157

Telephone Eastern Canada: (905) 738-7070

Western Canada: (403) 225-5400

Website www.amrize.com
E-mail sdsinfo@amrize.com

Emergency telephone

number

CHEMTREC within USA and Canada: 1-800-424-9300

CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1A

Serious eye damage/eye irritation Category 1
Carcinogenicity (inhalation) Category 1A

Specific target organ toxicity - repeated

exposure (inhalation)

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause cancer by inhalation. May cause damage

to organs (Lungs) through prolonged or repeated exposure by inhalation.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust. Wash thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water or shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. Wash contaminated clothing before reuse.

Category 2 (Lungs)

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards None known.

Clarion Sandstone (Shale)
971839

Version #: 01

Revision date:
Issue date: 13-May-2025

1 / 8

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Quartz		14808-60-7	30 - 60
Calcium oxide		1305-78-8	1 - 7
Potassium oxide		12136-45-7	1 - 7
Phosphoric pentoxide		1314-56-3	0.1 - 1
Sodium oxide		1313-59-3	0.1 - 1

Composition comments

All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4. First-aid measures

Inhalation

Move to fresh air. If not breathing, give artificial respiration. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Ingestion

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Coughing. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed. Combustion products may include: Corrosive vapors. Calcium oxides. Carbon oxides. Aluminium oxides. Iron oxides. Magnesium oxides. Potassium oxides. Silicon oxides. Sulphur oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labelled containers. For waste disposal, see section 13 of the SDS.

Issue date: 13-May-2025

Clarion Sandstone (Shale) SDS Canada 971839 Version #: 01 Revision date: -2/8

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupation	onal Health & Safety Code, Sci	hedule 1, Table 2), as amended	
Components	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles
Canada. British Columbia OELs. (Safety Regulation 296/97, as ame		s for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg. 21 [.] Components	7/2006, The Workplace Safety Type	And Health Act), as amended Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. New Brunswick OELs: T Publication (New Brunswick Regi		Based on the 1991 and 1997 A	CGIH TLVs and BEIs
Components	Type	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Control o	of Exposure to Biological or C	hemical Agents), as amended	
Components	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Ministry	of Labor - Regulation respecti	ing occupational health and sa	fety)
Components	Туре	Value	Form
Calcium oxide (CAS	TWA	2 mg/m3	

Clarion Sandstone (Shale) SDS Canada 971839 Version #: 01 3/8 Revision date: -Issue date: 13-May-2025

0.05 mg/m3

TWA

1305-78-8)

Quartz (CAS 14808-60-7)

Respirable dust.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended **Form** Components Value Type Calcium oxide (CAS 15 minute 4 mg/m3 1305-78-8) 8 hour 2 ma/m3 Quartz (CAS 14808-60-7) 8 hour 0.05 mg/m3 Respirable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica **Exposure guidelines**

should be monitored and controlled.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear chemical goggles and face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Selection and use of respiratory

protective equipment should be in accordance with CSA Standard Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical state Solid. **Form** Solid.

Grey to black. Gray to white. Colour

Odourless. Odour **Odour threshold** Not applicable.

Melting point/freezing point Boiling point or initial boiling point and boiling range

Property has not been measured. Not applicable, material is a solid.

The product is non-combustible. **Flammability**

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not applicable, material is a solid. Explosive limit - upper Not applicable, material is a solid.

(%)

Flash point Not applicable, material is a solid. **Auto-ignition temperature** Not applicable, material is a solid. **Decomposition temperature** Property has not been measured.

рΗ

pH concentration Property has not been measured. Kinematic viscosity Not applicable, material is a solid.

Solubility

Solubility (water) Slightly soluble

Not applicable for inorganic substances. Partition coefficient

(n-octanol/water) (log value)

Vapour pressure Not applicable, material is a solid.

Clarion Sandstone (Shale) SDS Canada 4/8

971839 Version #: 01 Revision date: -Issue date: 13-May-2025 Vapour pressure temp. Property has not been measured.

Density and/or relative density

Density Property has not been measured.

1.3 - 1.4Relative density

Relative density temperature

Property has not been measured.

Vapour density Not applicable, material is a solid.

Particle characteristics

Particle size Property has not been measured.

Other information

Evaporation rate Not applicable, material is a solid.

Explosive properties Not explosive. Oxidising properties Not oxidising.

Viscosity Not applicable, material is a solid.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Acids. Powerful oxidizers. Chlorine. Fluorine. Phosphorus. Water. Hydrofluoric acid. Incompatible materials No hazardous decomposition products are known. In the event of fire: See Section 5. Hazardous decomposition

products

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. May cause

cancer by inhalation. May cause irritation to the respiratory system.

Causes severe skin burns. Skin contact Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. Coughing. Prolonged exposure may cause chronic effects.

Information on toxicological effects

May be harmful if swallowed. Acute toxicity

Components	Species	Test Results
------------	---------	--------------

Calcium oxide (CAS 1305-78-8)

Acute Oral

LD50 Rat > 2000 mg/kg No deaths occured at this

concentration.

Phosphoric pentoxide (CAS 1314-56-3)

Acute Inhalation Dust

LC50 Rat 1217 mg/m3, 1 Hours

Potassium oxide (CAS 12136-45-7)

Acute Oral

LD50 Rat 273 mg/kg

Clarion Sandstone (Shale) SDS Canada 5/8

971839 Version #: 01 Revision date: -Issue date: 13-May-2025

Test Results Components **Species**

Quartz (CAS 14808-60-7)

Chronic Inhalation

LOEC Human 0.0563 mg/m3

Skin corrosion/irritation Causes severe skin burns. Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory or skin sensitisation Canada - Alberta OELs: Irritant Calcium oxide (CAS 1305-78-8)

Irritant

Respiratory sensitisation Not a respiratory sensitiser.

This product is not expected to cause skin sensitisation. Skin sensitisation

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica Carcinogenicity

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer by inhalation. Occupational exposure to

respirable dust and respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

Quartz (CAS 14808-60-7) A2 Suspected human carcinogen.

Canada - Alberta OELs: Carcinogen category

Quartz (CAS 14808-60-7) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Quartz (CAS 14808-60-7) Suspected human carcinogen.

Canada - Quebec OELs: Carcinogen category

Quartz (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure by inhalation.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Clarion Sandstone (Shale) SDS Canada 6/8 Components Species Test Results

Potassium oxide (CAS 12136-45-7)

Aquatic Acute

Fish LC50 Mosquitofish (Gambusia affinis affinis) 80 mg/l, 96 hours

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble or slightly soluble in water. Not expected to be mobile in soil.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN1759

UN proper shipping name CORROSIVE SOLID, N.O.S. (Potassium oxide, Sodium oxide)

Transport hazard class(es)

Class 8
Subsidiary hazard Packing group II
Environmental hazards No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN1759

UN proper shipping name Corrosive solid, n.o.s. (Potassium oxide, Sodium oxide)

Transport hazard class(es)

Class 8
Subsidiary hazard Packing group II
Environmental hazards No.
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1759

UN proper shipping name CORROSIVE SOLID, N.O.S. (Potassium oxide, Sodium oxide)

Not applicable.

Transport hazard class(es)

Class 8
Subsidiary hazard Packing group ||

Environmental hazards

Marine pollutant No. EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Clarion Sandstone (Shale) SDS Canada

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

⁽PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information

Issue date 13-May-2025

Revision date Version No. 01

Disclaimer Amrize Inc. cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

Issue date: 13-May-2025

8/8

sheet was written based on the best knowledge and experience currently available.

Clarion Sandstone (Shale) SDS Canada

971839

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).