

SAFETY DATA SHEET

1. Identification

Product identifier	Sandstone	
Other means of identification		
Synonyms	Sandstone, Aggregates, Crushed Stone, Crushed Rock, Crushed Run, Gravel, Manufactured Sand, Concrete Sand, Asphalt Sand, Mason Sand, Fill Sand, Golf Course Sand, Base Material, Dense Graded Aggregate.	
Recommended use	Construction.	
Recommended restrictions	Uses other than the recommended use.	
Manufacturer/Importer/Supplie	r/Distributor information	
Company name	Amrize Inc.	
Address	6509 Airport Road	
	Mississauga, Ontario L4V 157	
Telephone	Eastern Canada: (905) 738-7070	
	Western Canada: (403) 225-5400	
Website	www.amrize.com	
E-mail	sdsinfo@amrize.com	
Emergency telephone number	CHEMTREC within USA and Canada: 1-800-424-9300	
	CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)	

2. Hazard identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity (inhalation) Category 1A	
	Specific target organ toxicity - repeated exposure	Category 2 (Lungs)

Label elements



Signal word	Danger
Hazard statement	May cause cancer by inhalation. May cause damage to organs (Lungs) through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information	None.
Other hazards	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Quartz		14808-60-7	85 - 100
Mica		12001-26-2	1 - 5

Composition comments	All concentrations are in percent by weight. Any concentration shown as a range is to protect confidentiality or is due to batch variation.
4. First-aid measures	
Inhalation	If not breathing, give artificial respiration.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Coughing. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Combustion products may include: Carbon oxides.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Fire fighting

equipment/instructions

Specific methods General fire hazards

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labelled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values (TLV)			
Components	Туре	Value	Form
Mica (CAS 12001-26-2)	TWA	0.1 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

TWA TWA ELs. (Occupational Exposure Limits for amended) Type TWA TWA g. 217/2006, The Workplace Safety And Type TWA TWA Set Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA TWA TWA TWA	Value 3 mg/m3 0.025 mg/m3 d Health Act), as amended Value 0.1 mg/m3 0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Form Respirable. Respirable fraction. Form Respirable fraction. Respirable fraction.
ELs. (Occupational Exposure Limits for amended) TWA TWA TWA g. 217/2006, The Workplace Safety And Type TWA TWA as: Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA TWA TWA TWA	value 0.1 mg/m3 0.025 mg/m3	cupational Health and Form Respirable. Respirable fraction. Form Respirable fraction. Respirable fraction. CIH TLVs and BEIs Form Respirable fraction.
amended) Type TWA TWA TWA g. 217/2006, The Workplace Safety And Type TWA TWA Set Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA TWA TWA TWA TWA TWA TWA	Value 3 mg/m3 0.025 mg/m3 d Health Act), as amended Value 0.1 mg/m3 0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Form Respirable. Respirable fraction. Form Respirable fraction. Respirable fraction. CIH TLVs and BEIs Form Respirable fraction. Respirable fraction. Respirable fraction.
TWA TWA TWA g. 217/2006, The Workplace Safety And Type TWA TWA ses: Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA TWA TWA TWA	3 mg/m3 0.025 mg/m3 d Health Act), as amended Value 0.1 mg/m3 0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Respirable. Respirable fraction. Form Respirable fraction. Respirable fraction. CGIH TLVs and BEIs Form Respirable fraction. Respirable fraction.
TWA g. 217/2006, The Workplace Safety And Type TWA TWA s: Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA trol of Exposure to Biological or Chem Type TWA	0.025 mg/m3 d Health Act), as amended Value 0.1 mg/m3 0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 hical Agents), as amended Value	Respirable fraction. Form Respirable fraction. Respirable fraction. CGIH TLVs and BEIs Form Respirable fraction. Respirable fraction.
g. 217/2006, The Workplace Safety And Type TWA TWA Set Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA trol of Exposure to Biological or Chem Type TWA	d Health Act), as amended Value 0.1 mg/m3 0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 hical Agents), as amended Value	Form Respirable fraction. Respirable fraction. CGIH TLVs and BEIs Form Respirable fraction. Respirable fraction.
Type TWA TWA TWA Second Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA TWA Tron of Exposure to Biological or Chem Type TWA	Value 0.1 mg/m3 0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Respirable fraction. Respirable fraction. CGIH TLVs and BEIS Form Respirable fraction. Respirable fraction.
TWA Ls: Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA trol of Exposure to Biological or Chem Type TWA	0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Respirable fraction. GIH TLVs and BEIs Form Respirable fraction. Respirable fraction.
s: Threshold Limit Values (TLVs) Bas Regulation 91-191) Type TWA TWA trol of Exposure to Biological or Chem Type TWA	0.025 mg/m3 sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Respirable fraction. GIH TLVs and BEIs Form Respirable fraction. Respirable fraction.
Regulation 91-191) Type TWA TWA TWA rol of Exposure to Biological or Chem Type TWA	sed on the 1991 and 1997 AC Value 3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	GIH TLVs and BEIs Form Respirable fraction. Respirable fraction.
TWA TWA arol of Exposure to Biological or Chem Type TWA	3 mg/m3 0.025 mg/m3 nical Agents), as amended Value	Respirable fraction. Respirable fraction.
TWA rol of Exposure to Biological or Chem Type TWA	0.025 mg/m3 nical Agents), as amended Value	Respirable fraction.
rol of Exposure to Biological or Chem Type TWA	nical Agents), as amended Value	
Type TWA	Value	Form
	0	
TWA	3 mg/m3	Respirable fraction.
1101	0.1 mg/m3	Respirable fraction.
stry of Labor - Regulation respecting Type	occupational health and saf Value	ety) Form
TWA	3 mg/m3	Respirable dust.
TWA	0.05 mg/m3	Respirable dust.
ร (Occupational Health and Safety Reo Type	gulations, 1996, Table 21), as Value	s amended Form
15 minute	6 mg/m3	Respirable fraction.
8 hour	3 mg/m3	Respirable fraction.
8 hour	0.05 mg/m3	Respirable fraction.
No biological exposure limits noted for t	he ingredient(s).	
	• • • •	spirable crystalline silica
applicable, use process enclosures, loc maintain airborne levels below recomm	al exhaust ventilation, or other ended exposure limits. If expo	r engineering controls to
Wear appropriate chemical resistant glo supplier.	oves. Suitable gloves can be re	ecommended by the glove
Use of an impervious apron is recomme	ended.	
Wear appropriate thermal protective clo	thing, when necessary.	
Observe any medical surveillance requi measures, such as washing after handl	irements. Always observe goo ing the material and before ea	ting, drinking, and/or
	Type TWA TWA TWA TWA (Occupational Health and Safety Reg Type 15 minute 8 hour 8 hour 000000000000000000000000000000000000	Stry of Labor - Regulation respecting occupational health and safe Type Value TWA 3 mg/m3 TWA 0.05 mg/m3 (Occupational Health and Safety Regulations, 1996, Table 21), as Type Value 15 minute 6 mg/m3 8 hour 3 mg/m3 8 hour 3 mg/m3 8 hour 0.05 mg/m3 No biological exposure limits noted for the ingredient(s). Occupational exposure to nuisance dust (total and respirable) and respirable) and respirable below recommended exposure limits. If expose the applicable, use process enclosures, local exhaust ventilation, or other maintain airborne levels below recommended exposure limits. If expose established, maintain airborne levels to an acceptable level. uch as personal protective equipment If contact is likely, safety glasses with side shields are recommended. Wear appropriate chemical resistant gloves. Suitable gloves can be recommended supplicable and resistant gloves. Suitable gloves can be recommended.

9. Physical and chemical properties

9. Physical and chemical p	biopenties
Physical state	Solid.
Form	Powder.
Colour	Variable in color.
Odour	Odourless.
Odour threshold	Not applicable.
Melting point/freezing point	Property has not been measured.
Boiling point or initial boiling point and boiling range	> 1000 °C (> 1832 °F)
Flammability	The product is non-combustible.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not applicable, material is a solid.
Explosive limit – upper (%)	Not applicable, material is a solid.
Flash point	Not applicable, material is a solid.
Auto-ignition temperature	Not applicable, material is a solid.
Decomposition temperature	Property has not been measured.
рН	Property has not been measured.
pH concentration	Property has not been measured.
Kinematic viscosity	Not applicable, material is a solid.
Solubility	
Solubility (water)	Property has not been measured.
Partition coefficient (n-octanol/water) (log value)	Not applicable, product is a mixture.
Vapour pressure	Property has not been measured.
Vapour pressure temp.	Property has not been measured.
Density and/or relative density	
Density	Property has not been measured.
Relative density	2.5 - 2.7
Relative density temperature	Property has not been measured.
Vapour density	Not applicable, material is a solid.
Particle characteristics	Property has not been measured.
Other information	
Evaporation rate	Not applicable, material is a solid.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Viscosity	Property has not been measured.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Avoid generation of dust.
Incompatible materials	Powerful oxidizers. Chlorine. Fluorine. Hydrofluoric acid. Boron trifluoride. Chlorine trifluoride. Manganese trifluoride. Oxygen difluoride.
Hazardous decomposition products	No hazardous decomposition products are known. In the event of fire: See Section 5.

11. Toxicological information

Information on likely routes of exposure

Information on likely routes of ex	•		
Inhalation	May cause cancer by inhalation. Prolonged inhalation may be harmful.		
Skin contact	Prolonged skin contact may ca		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	May cause discomfort if swalle	owed.	
Symptoms related to the physical, chemical and toxicological characteristics	Coughing. Prolonged exposure may cause chronic effects.		
Information on toxicological effe	cts		
Acute toxicity	Not expected to be acutely to	cic.	
Components	Species	Test Results	
Quartz (CAS 14808-60-7)			
Chronic			
Inhalation			
LOEC	Human	0.0563 mg/m3	
Skin corrosion/irritation	Prolonged skin contact may ca	ause temporary irritation.	
Serious eye damage/eye	Direct contact with eyes may o	cause temporary irritation.	
irritation			
Respiratory or skin sensitisation			
Canada - Alberta OELs: Irrita	ant		
Mica (CAS 12001-26-2)		Irritant	
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	This product is not expected to cause skin sensitisation.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer by inhalation. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
ACGIH Carcinogens			
Quartz (CAS 14808-60-7) Canada - Alberta OELs: Carc		A2 Suspected human carcinogen.	
Quartz (CAS 14808-60-7)		Suspected human carcinogen.	
Canada - Manitoba OELs: ca	• •		
O_{10} C_{10} C		Suspected human carcinogen.	
Quartz (CAS 14808-60-7)	cinagan catagany		
Canada - Quebec OELs: Car		Supported correinogonic offect in humans	
Canada - Quebec OELs: Card Quartz (CAS 14808-60-7)		Suspected carcinogenic effect in humans.	
Canada - Quebec OELs: Card Quartz (CAS 14808-60-7) IARC Monographs. Overall E	valuation of Carcinogenicity		
Canada - Quebec OELs: Card Quartz (CAS 14808-60-7) IARC Monographs. Overall E Quartz (CAS 14808-60-7)	valuation of Carcinogenicity	1 Carcinogenic to humans.	
Canada - Quebec OELs: Card Quartz (CAS 14808-60-7) IARC Monographs. Overall E Quartz (CAS 14808-60-7)	valuation of Carcinogenicity gram (NTP) Report on Carcin	1 Carcinogenic to humans.	

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs (Lungs) through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. Prolonged exposure may cause chronic effects.
12. Ecological information	

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	The product contains inorganic compounds which are not biodegradable.
Bioaccumulative potential	No data available.
Mobility in soil	The product is insoluble in water. Not expected to be mobile in soil.
Other adverse effects	No data available.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations Stockholm Convention Not applicable. Rotterdam Convention Not applicable. Kyoto Protocol

Not applicable.

Montreal Protocol Not applicable. Basel Convention Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	09-May-2025
Revision date	-
Version No.	01
Disclaimer	Amrize Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.